

References

- Caffery BE. Influence of diet on tear function. *Optom Vis Sci* 1991 Jan; 68(1): 58-72.
- Chiang EP, Selhub J, Bagley PJ, Dallai G, Roubeno. Pyridoxine supplementation corrects vitamin B6 deficiency but does not improve inflammation in patients with rheumatoid arthritis. *Arthritis Res Ther.* 2005; 7(6): R1404-11.
- Christen WG, Glynn RJ, Chew EY, Albert CM, Manson JE. Folic acid, pyridoxine, and cyanocobalamin combination treatment and age-related macular degeneration in women: the Women's Antioxidant and Folic Acid Cardiovascular Study., *Arch Intern Med* 2009 Feb 23; 169(4): 335-41.
- Friso S, Jacques PF, Wilson PW, Rosenberg IH, Selhub J. Low circulating vitamin B(6) is associated with elevation of the inflammation marker C-reactive protein independently of plasma homocysteine levels. *Circulation* 2001 Jun 12; 103: 2788-91.
- Hart DE, Lane BC, Josephson JE, Tisdale RR, Gzik M, Leahy R, Dennis R. Spoilage of hydrogel contact lenses by lipid deposits: Tear-film potassium depression, fat, protein, and alcohol consumption. *Ophthalmol* 1987; 94:1315-1321.

- Kremer JM, Bigaouette J. Nutrient intakes of patients with rheumatoid arthritis is deficient in pyridoxine, zinc, copper, and magnesium. *J Rheumatol* 1996 Jun; 23(6):990-4.
- Lane BC. Nutritionally responsive depression in metabolic export of potassium and sodium to tears and hair in dry-eye (keratitis sicc, Sjogren's syndrome) and contact-lens coating syndrome. *Fed Proc* 1984; 43:1052.
- Lane BC. Pyridoxine deficiency as a risk factor for soft drusen and exudative age-related macular degeneration. *ARVO Summer Eye Research Conference, July 9-12, 2006: Toward the Prevention of Age-Related Macular Degeneration* 2006: 27. (Abstract #60)
- Lane BC. A healthy diet: The proven enhancement for dry eye treatment. *Managing Dry Eye – Premier Issue*. Published as an online Newsletter by *Optometric Management* 2009 Dec 15; 1(1).
- Lane BC, Hart DE. Depressed tear potassium & elevated intakes of fats & alcohol as risk factors for lipid deposits on soft contact lenses. *Invest Ophthalmol Vis Sci* 1986; 27(3, Supplement):138. (ARVO Cornea Papers Session, 4/30,1986)

- Lindenbaum J. Folate and vitamin B12 deficiencies in alcoholism. *Semin Hematol* 1980; 17: 119-29.
- Paige N. *Optom Monthly* 1978.
- Rebello T, Hodges RE, Smith JL. Short-term effects of various sugars on antinatriuresis and blood pressure changes in normotensive young men. *Am J Clin Nutr* 1983; 38: 84-94.
- Tovar AR, Gomez E, Bourges H, Ortiz V, Kraus A, Torres N, Biochemical deficiency of pyridoxine doe not affect interleukin-2 production of lymphocytes from patients with Sjogren's syndrome. *Eur J Clin Nutr* 2002 Nov; 56(11): 1087-93.
- Ubels JL, MacRae SM, Foley KM. Reverse-phase HPLC studies of vitamin A in tears and cornea. *Fed Proc* 1984; 43: 788.
- Wilson G. 1983 (Dec).
- Young W, Hill RM. Cholesterol levels of human tears: case reports. *J Am Optom Assoc* 1973; 45: 424-8.